POPULATION ESTIMATES	CENSUS DATA LOCAL PUBLIC HEALTH				
		I		Per	
Total 1995 Population Est 19,300	'	Activities Reported	Number	10, 000	
Percent Female 50.0	Note: Data in this section are from	· · · · · · · · · · · · · · · · · · ·			
	the 1990 Census. (All other	Public Health Nursing Total clients	309	160	
Rank in state 58	except where specified.)	Total visits	1, 839	953	
(1=highest population density,	D	Visits: Reason for		2=2	
72=lowest population density.)	Ratio of 1989 Family	Gen hlth promotion	714	370	
	Income to Poverty	Infant/child hlth	483	250	
_Age Female Male Total	(Cumul ative)	Infectious & parasitic Circulatory	324 10	168 5	
0-14 1,600 1,830 3,430	Age <100% <185% <200% Total	Prenatal	9	5 5	
15-19 490 590 1,079	Age <100% <185% <200% Total <5 27 57 62 1,028	Postpartum	42	22	
20- 24 370 420 790	5-17 22 48 53 2,869	1 osepai cum	12	~~	
25-29 350 350 700	18-44 17 38 42 5, 261	WIC Participants	845	438	
30- 34 530 600 1, 130	45-64 10 25 28 4,432			1	
35-39 690 650 1,340	65+ 9 40 45 3,856	Clinic Visits	902	468	
40-44 680 710 1, 390		Immuni zati on	554	287	
45-54 1, 240 1, 210 2, 450		Blood pressure	348	180	
55-64 1, 290 1, 240 2, 530					
65-74 1, 290 1, 260 2, 550		Environmental Contacts			
75-84 840 650 1,490	CANCERINCIDENCE	Env hazards	•	•	
85+ 280 140 420 Total 9,650 9,650 19,300	(1995)	Public health nuisance	•	•	
10tai 9, 050 9, 050 19, 500	Primary site Number	School Health			
	Col on 20	Vision screenings			
Age Female Male Total	Lung 22	Hearing screenings	•	•	
0-17 1,900 2,170 4,070	Breast 26	neuring sereemings	•		
18-44 2, 810 2, 980 5, 790	Prostate 27	Health Education		'	
45-64 2,530 2,450 4,980	All others 92	Community sessions			
<u>65+</u> 2, 410 2, 050 4, 460	Total 187	Community attendance		•	
Total 9, 650 9, 650 19, 300	J	School sessions	•	•	
	,	School attendance	•	٠,	
E M P L O Y M E N T	I ON C TEDM CADE	Stoffing ETEs			
EMPLUYMENI	LUNG IEKM CAKE	Staffing - FTEs Total staff	4	1. 8	
Note: Average wage is based on place		Admi ni strators	1	0.5	
of work, not place of residence.	Home Health Agencies .	Public health nurses	1	0. 5	
of work, not prace of restuence.	Patients .	Public health aides	•	•	
Average wage for jobs covered	Patients per 10,000 pop .	Environmental specialist	t s .	•	
by Unemployment Compensation \$16, 162					
	Nursing Homes 2 Licensed beds 174			·	
<u>Labor Force Estimates Annual Average</u>	Li censed beds 174	LOCAL PUBLIC HEALT	H FUNDIN		
Civilian labor force 10,474	Occupancy rate (percent) 92.6% Residents on 12/31/95 167			Per	
Number employed 9, 978 Number unemployed 496	Residents on 12/31/95 167	m . 1 . C . 1:	Amount	Capita	
Number unemployed 496	Residents per 1,000	Total funding \$11	11, 670	\$5. 79	
Unemployment rate 4.7%	population aged 65 or older 36	Local taxes \$8	32, 482	34. 28	
I	ı				

----- N A T A L I T Y -----

TOTAL LIVE BIRTHS		205	Birth Order	Bi rths	Percent	Marital Status		
			First	85	41	<u>of Mother</u>	Births	Percent
Crude Live Birth Rate		10. 6	Second	64	31	Marri ed	140	68
General Fertility Rate		65. 8	Thi rd	33	16	Not married	65	32
	_		Fourth or higher	23	11	Unknown	0	•
Live births with report	ted	•	Unknown	0	•	D1		
congenital anomalies		6 . %	TI . D . 1			Educati on	D	ъ .
ъ 1 г	D: .1	D .	First Prenatal	D: .1	ъ .	of Mother	<u>Births</u>	Percent
Delivery Type	Bi rths	Percent	<u>Vi si t</u>	Births	Percent 70	Elementary or less	3	10
Vagi nal after	1.1		1st trimester	150	73	Some high school	37	18
previous cesarean	11	•	2nd trimester	31	15	High school	73	36
Forceps	8	~.	3rd trimester	18	•	Some college	63	31
Other vagi nal	143	70	No vi si ts	2	•	College graduate	29	14
Primary cesarean	30	15	Unknown	4	•	Unknown	0	•
Repeat cesarean	13	•	W 1 0 D					
Other or unknown	0	•	Number of Prenatal		_	Smoking Status	- ·	_
· · · · ·	.	_	<u>Care visits</u>	Bi rths	Percent	<u>of Mother</u>	Bi rths	Percent
<u>Birth Weight</u>	<u>Births</u>	Percent	No visits	2	•	Smoker	58	28
<1, 500 gm	0	•	1-4 visits	7	•	Nonsmoker	147	72
1,500-2,499 gm	13		5-9 visits	42	20	Unknown	0	•
2, 500+ gm	192	93. 7	10-12 visits	68	33			
Unknown	0	•	13+ visits	83	40			
			Unknown	3	•			
			Low Birth Weight		Tri mest	ter of First Prenatal	Vi si t	
Whi te Bl ack	Total E Births E 160 0 45	Percent 78	Low Birth Weight (under 2,500 gm) Births Percent 13 .	128	mester Percent 80	17 .	Other/UBirths 15	Jnknown Percent .
Whi te Bl ack Other	Births F	<u>Percent</u>	(under 2,500 gm) Births Percent	Bi rths	mester Percent 80 . 49	2nd Trimester Births Percent 17	Other/l Births	
Whi te Bl ack	Births F 160 0 45	<u>78</u> 22	(under 2, 500 gm) <u>Births Percent</u> 13	Births 128 22	mester Percent 80 49	2nd Trimester Births Percent 17 14 .	Other/UBirths 15 . 9	
Whi te Bl ack Other	Births F 160 0 45 0	<u>78</u>	(under 2,500 gm) Births Percent 13	Births 128 22	mester Percent 80 . 49 . Tri mest	2nd Trimester Births Percent 17	0ther/UBirths 15 9 . Vi si t	Percent
Whi te Bl ack Other Unknown	Births F 160 0 45 0	Percent 78 22 ertility	(under 2,500 gm) Births Percent 13	Bi rths 128	mester Percent 80	2nd Trimester Births Percent 17	Other/UBirths 15 9 . Visit Other/U	Percent Unknown
White Black Other Unknown Age of Mother	Births F 160 0 45 0	Percent 78 22 ertility Rate	(under 2,500 gm) Births Percent 13	Bi rths 128	mester Percent 80 . 49 . Tri mest	2nd Trimester Births Percent 17	Other/UBirths 15 9 . Visit Other/U	Percent
White Black Other Unknown Age of Mother <15	Births F 160 0 45 0 Fe Births	Percent 78 22 ertility	(under 2,500 gm) Births Percent 13	Births 128 22 . 1st Tri Births	mester Percent 80	2nd Trimester Births Percent 17	Other/UBirths 15 9 . Visit Other/UBirths 1	Percent Unknown
White Black Other Unknown Age of Mother <15 15-17	Births F 160 0 45 0 Fe Births 1 12	Percent 78 22 ertility Rate	(under 2,500 gm) Births Percent 13	Births 128	mester Percent 80	2nd Trimester Births Percent 17	Other/UBirths 15 9 . Visit Other/UBirths	Percent Unknown
White Black Other Unknown Age of Mother <15 15-17 18-19	Births F 160 0 45 0 Fe Births 1 12 15	Percent 78 22 . ertility Rate	(under 2, 500 gm) Births Percent 13	Births 128	mester Percent 80 49 . Tri mest mester Percent	2nd Trimester Births Percent 17	Other/UBirths 15 9 . Visit Other/UBirths 1 1 .	Percent Unknown
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	Births F 160 0 45 0 Fe Births 1 12 15 52	Percent 78 22 ertility Rate	(under 2, 500 gm) Births Percent 13	Births 128	mester Percent 80 49 . Tri mest mester Percent	2nd Trimester Births Percent 17	Other/UBirths 15 9 . Visit Other/UBirths 1 1 . 5	Percent Unknown
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29	Births F 160 0 45 0 Fe Births 1 12 15 52 48	Percent 78 22	(under 2, 500 gm) Births Percent 13	Births 128	mester Percent 80 49 . Tri mest mester Percent	2nd Trimester Births Percent 17	0ther/UBirths 15 9 . Visit 0ther/UBirths 1 1 . 5 4	Percent Unknown
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Births Fe 160	Percent 78 22	(under 2, 500 gm) Births Percent 13	Births 128	mester Percent 80 49 . Tri mest mester Percent	2nd Trimester Births Percent 17	0ther/UBirths 15 9 . Visit 0ther/UBirths 1 1 . 5 4 8	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births Fe 160	Percent 78 22	(under 2, 500 gm) Births Percent 13	Births 128	mester Percent 80 49 . Tri mest mester Percent	2nd Trimester Births Percent 17	0ther/UBirths 15 9 . Visit 0ther/UBirths 1 1 . 5 4 8 4	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births Fe 160 0 45 0 Fe Births 1 12 15 52 48 50 25 2	Percent 78 22	(under 2, 500 gm) Births Percent 13	Births 128	mester Percent 80 49 . Tri mest mester Percent	2nd Trimester Births Percent 17	0ther/UBirths 15 9 . Visit 0ther/UBirths 1 1 . 5 4 8	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births Fe 160	Percent 78 22 . ertility Rate	(under 2, 500 gm) Births Percent 13	Births 128	mester Percent 80 49 . Tri mest mester Percent	2nd Trimester Births Percent 17	0ther/UBirths 15 9 . Visit 0ther/UBirths 1 1 . 5 4 8 4	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ Unknown	Births Fe 160	Percent 78 22 . ertility Rate	(under 2, 500 gm) Births Percent 13	Births 128	mester Percent 80 49 . Tri mest mester Percent	2nd Trimester Births Percent 17	0ther/UBirths 15 9 . Visit 0ther/UBirths 1 1 . 5 4 8 4	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births Fe 160 0 45 0 Fe Births 1 12 15 52 48 50 25 2	Percent 78 22 Pertility Rate 141 136 94 36	(under 2, 500 gm) Births Percent 13	Births 128	mester Percent 80 49 . Tri mest mester Percent	2nd Trimester Births Percent 17	0ther/UBirths 15 9 . Visit 0ther/UBirths 1 1 . 5 4 8 4	Percent

----- MORBIDITY ------ MORTALITY -----Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED CASES OF SELECTED DISEASES Perinatal and fetal deaths. ----- I M M U N I Z A T I O N S -----

DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capi ta	DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	e Average Charge	Charg Per Capi ta
Injury-Related:	Al l					Al cohol - Rel at ed					
Total	296	15.3	4. 9	\$9, 377	\$144	Total	166	8. 6	7. 5	\$4,607	\$40
<18	20	4. 9	2. 7	\$5, 714	\$28	18-44	110	19. 0	7. 8	\$4, 756	\$91
18-44	72	12. 5	3. 9	\$9, 184	\$114	45-64	31	6. 2	6. 1	\$4, 425	\$28
45-64	63	12.6	4. 0	\$8, 734	\$110					. ,	
65 +	141	31. 7	6. 1	\$10, 283	\$326	Pneumonia and In	nfluenza				
Injury: Hip F	racture			•		Total	131	6.8	5. 5	\$6, 929	\$47
Total	30	1.6	7. 1	\$12, 435	\$19	<18	10				
65 +	28	6. 3	7. 1	\$12, 378	\$78	45-64	20	4. 0	5. 7	\$8, 790	\$35
Injury: Poiso				. ,	•	65+	84	18. 9	5.8	\$7, 146	\$135
Total	19					1				, , , ·	,
18-44	8			•	•	Cerebrovascul ar	Di sease				
-	-	•	-	-	•	Total	95	4. 9	6. 6	\$11,001	\$54
Psychi atri c						45-64	21	4. 2		\$13, 810	\$58
Total	119	6. 2	7. 9	\$4, 902	\$30	65+	$\tilde{7}\tilde{2}$	16. 2	6. 3	\$9, 852	\$159
<18	39	9. 6	9. 5	\$6, 068	\$58					, , , , , , , ,	,
18-44	49	8. 5	7. 2	\$4, 274	\$36	Chronic Obstruct	tive Puln	nonary D	i sease		
45-64	14		~	Ψ1, ~· I	•	Total	69	3.6	3. 5	\$5, 468	\$20
65+	17			•	•	<18	6			φ 0 , 100	φ20
001		•	•	•	•	18-44	6	•	•	•	•
Coronary Heart	Di sease					45-64	19	•	•	•	•
Total	251	13. 0	4. 5	\$14, 693	\$191	65+	38	8. 5	4. 3	\$6, 019	\$51
45-64	81	16. 2	3. 9	\$14, 033 \$15, 245	\$248	J 30 F	30	0. 0	1. 5	yu, u10	901
65+	163	36. 6	5. 0	\$14, 546	\$533	Drug-Related					
001	100	JJ. U	J. U	V14, U4U	4000	Total	11				
Malignant Neopl	acme (Car	ncare).	A11			18- 44	3	•	•	•	•
Total	139	7. 2	8.0	\$15, 127	\$109	10-44	3	•	•	•	•
18- 44	4		0. 0	ψ10, 1 <i>ω</i> /	0100	Total Hospitalia	zatione				
45-64	43	8.6	6. 9	\$14, 477	\$125	Total	3, 232	167. 6	4. 8	\$7, 847	\$1, 315
65+	92	20. 7			\$325	<18	407	99. 9	3. 3	\$3, 183	\$318
Neoplasms: Fe		et (ro	tes for	fomale no		18-44	682	118. 0	3. 3 3. 9	\$5, 163 \$5, 339	\$630
Total	20	2. 1	2. 9	\$6, 468	\$13	10-44	674	135. 1	3. 9 4. 8		\$1, 238
Neoplasms: Co	۵۰ root al	&. I 	۵. ع	30, 4 00	313	45-64 65+	1, 469	330. 2	4. o 5. 7	\$9, 104 \$9, 698	\$1, 236 \$3, 202
Total	18	L				U J+	1, 409	JJU. &	J. 1	99, U90	90, LUL
10tai 65+	16	•	•	•	•	PREVENTAE) I E II	ОСВІ	тлі	T 7 A T T	O N S
Neoplasms: Lu		•	•	•	•	Total		26. 2	4. 7	\$6, 595	\$173
	ing 13					10tai <18	506	26. 2 11. 8	4. 7 2. 1		
Total	13	•	•	•	•	18-44	48	7. 4		\$2, 843	\$33 \$32
Di abetes							43	7. 4 19. 8	3.4	\$4, 331	\$32 \$148
	20	0.0	F 0	00 F00	010	45-64	99		4.9	\$7, 461	
Total	39	2.0	5.3	\$6, 530	\$13	65+	316	71.0	5. 3	\$7, 201	\$511
65 +	24	5. 4	5. 1	\$6, 542	\$35	* Hospitalization effective ambulat hospitalization.	ns for co tory care	ondition e can re	s where educe th	timely a e likelih	and lood of